Children's physical activity and the preschool physical environment : The moderating role of gender

Määttä, Suvi

2019

Määttä , S , Gubbels , J , Ray , C , Koivusilta , L , Nislin , M , Sajaniemi , N , Erkkola , M & Roos , E 2019 , ' Children's physical activity and the preschool physical environment : The moderating role of gender ' , Early Childhood Research Quarterly , vol. 47 , pp. 39-48 . https://doi.org/10.1016/j.ecres

http://hdl.handle.net/10138/321112
https://doi.org/10.1016/j.ecresq.2018.10.008

Title: Children's physical activity and the preschool physical environment: the moderating role of gender

Authors: Suvi Määttä [1], Jessica Gubbels[2], Carola Ray[1], Leena Koivusilta[3], Mari Nislin[4], Nina Sajaniemi[5], Maijaliisa Erkkola[6], Eva Roos[1,6,7]

1 Samfundet Folkhälsan, Folkhälsan research Center, Topeliuksenkatu 20, 00250 Helsinki, Finland, suvi.maatta@folkhalsan.fi; carola.ray@folkhalsan.fi;eva.roos@folkhalsan.fi

2 Maastricht University, Department of Health Promotion, NUTRIM School of Nutrition and Translational Research in Metabolism, PO Box 616,6200 MD Maastricht,The Netherlands, jessica.gubbels@maastrichtuniversity.nl

3 Department of Social Research, Faculty of Social Sciences, Assistentinkatu 7, 20014 University of Turku, Finland, leena.koivusilta@utu.fi

4 Department of Early Childhood Education, The Education University of Hong Kong, 10 Lo Ping Road, Tai po, New territories, Hong Kong, Hong Kong, manislin@eduhk.hk

5 Department of Teacher Education, University of Helsinki, Finland, PL 9
00014 Helsingin yliopisto, nina.sajaniemi@helsinki.fi

6 Department of Food and Environmental Sciences, University of Helsinki, Finland, P.O. Box 66 (Agnes Sjöbergin katu 2), FI-00014 University of Helsinki, maijaliisa.erkkola@helsinki.fi; eva.roos@folkhalsan.fi

7 Department of Public Health, Clinicum, University of Helsinki, Finland, PL 20 (Tukholmankatu 8 B)
00014 Helsingin yliopisto, eva.roos@folkhalsan.fi

Corresponding author:

Suvi Määttä

Folkhälsan Research Center

Topeliuksenkatu 20

00250 Helsinki

Finland

phone nr. +358405937048, Email: suvi.maatta@folkhalsan.fi

Declarations of interest: none

Acknowledgements

The authors thank the preschools, the preschool personnel, and the parents for their participation in the DAGIS study and the research assistants for data collection. This study was financially supported by the Folkhälsan Research Center, the University of Helsinki, the Ministry of Education and Culture in Finland, Medicinska understödsföreningen för Liv och hälsa, the Academy of Finland (number 288038, number 285439, and number 287288), the Juho Vainio Foundation, the Päivikki and Sakari Sohlberg Foundation, the Signe and Ane Gyllenberg Foundation, and The Finnish Cultural Foundation/South Ostrobothnia Regional Fund.

Highlights

- several physical environmental factors are associated with children's physical activity
-
- Jumping or balancing skills equipment in preschool increased physical activity.
- Hilly terrain and sand as a surface were associated with higher physical activity.
- seesaws and gravel as a surface were associated with lower physical activity.
- None of the four interactions remained significant in gender-specific analyses

- The results need to consider when designing physical activity promoting preschool.

Children’s physical activity and the preschool physical environment: the moderating role of gender

Abstract

The physical environment in preschool, covering all indoor and outdoor equipment, and the surfaces of the preschool yard, may have a large potential for increasing children’s physical activity (PA). Nevertheless, in the preschool setting, it is less clear which specific physical environmental factors are associated with children’s PA. A cross-sectional survey with multiple data-collection methods was conducted in 2015 and 2016 in eight municipalities throughout Finland. To measure PA, the children (N=778), aged 3–6 years, wore an Actigraph accelerometer during preschool hours. The preschool environment was observed by using a context-specific observation sheet. The observed items included various types of fixed and portable indoor and outdoor equipment, shady areas, surfaces, PA-promoting elements and the terrain in the preschool grounds. Multiple linear regression analyses clustered within preschool groups were conducted. The associations between individual observed items as well as the composite scores for the PA equipment were analyzed. The possible interaction effect of gender with the explanatory variables was examined. The following items were associated with higher PA levels: balance equipment and trampolines in group facilities, balance equipment, gym mats and sticks in the gym, and having sand and mostly hilly terrain on the playground. Having gravel as the terrain in the playground and having a seesaw outdoors were associated with lower PA levels, regardless of gender. Four significant interactions with gender were found, but none of the environmental predictors remained significant in gender-stratified analyses. Variety in PA equipment and playground terrain may be beneficial for increasing children’s PA.

Keywords: preschool, children, physical activity, equipment

Introduction

Frequent physical activity (PA) in early childhood is associated with better physical, social and psychological health (Timmons et al., 2012). The preschool-age (ages 3–6 years) is a period of particularly rapid development and learning, when, for instance, competence in multiple motor skills, a prerequisite for PA, is developed (Logan, Kipling Webster, Getchell, Pfeiffer, & Robinson, 2015; Stodden et al., 2008). The development of motor skills requires continuous interaction with a stimulating indoor and outdoor physical environment, including attractive and sufficient space, availability of equipment (e.g., fixed and portable) and variety of surfaces (e.g., natural elements, artificial coverings) (Wick et al., 2017). Children who develop motor skills earlier are also more likely to be active (Loprinzi, Cardinal, Loprinzi, & Lee, 2012; Loprinzi, Davis, & Fu, 2015; Stodden et al., 2008). Moreover, higher and more frequent engagement in PA at a preschool-age is associated with the accelerated development of motor skills (Barnett, Salmon, & Hesketh, 2016; Stodden et al., 2008). However, most preschool children lag behind the required amounts of daily PA (Beets, Bornstein, Dowda, & Pate, 2011; De Craemer et al., 2015; Okely, Trost, Steele, Cliff, & Mickle, 2009; Pate et al., 2015; Tucker, 2008). There is therefore a need to identify more precisely the methods for modifying the preschool physical environment in order to provide opportunities for all children to improve their motor skills and increase their PA levels.

Preschool is an important setting for boosting children's daily PA. Previous studies have demonstrated that the preschool setting can account for 14 to 47 percent of the variance in children's PA after controlling for individual-level factors (Olesen, Kristensen, Korsholm, & Froberg, 2013; Pate, Pfeiffer, Trost, Ziegler, & Dowda, 2004; Pate, McIver, Dowda, Brown, & Addy, 2008; Reilly, 2010). The majority of children in developed countries attend institutional early education, such as preschools, almost every day of the working week (OECD, orgnization for Economic Cooperation and Development, 2016), and Finland is no

exception (National Institute for Health and Welfare, 2016). About 80 percent of Finnish 3-to-5-year-olds and almost 100 percent of six-year-olds, from various socioeconomic and cultural backgrounds, attend preschool (National Institute for Health and Welfare, 2016), which makes the preschool setting an ideal place to promote PA. Current national early-childhood policy also states that preschools should offer stimulating physical environments for children's active play and the development of healthy lifestyles, both indoors and outdoors (Finnish National Agency for Education, 2016). Nonetheless, children are only vigorously physically active for approximately 10 percent of each preschool day in Finland, while they are physically active at any intensity level for less than 50% of their daily time outdoors (Tammelin et al., 2016). In addition, children's PA in preschools seems to be inadequate to support the development of fundamental motor skills (Iivonen et al., 2016). There is therefore a need for more research on the preschool characteristics that influence children's PA.

Several factors, such as social interaction between early educators and children, policy regulations, and the physical environment, may influence children's PA in the preschool setting. According to a recent review, the aspect most frequently studied in preschools has been the physical environment (Tonge, Jones, & Okely, 2016). The review states that a total of 12 physical environment variables are associated with children's PA, the strongest positive associations being with the availability of an outdoor environment in preschool and the size of the play space (Tonge et al., 2016). However, Tonge et al. (2016) conclude that other aspects of the physical environment, such as natural features and surfaces, the presence of hills, shade, portable equipment, and fixed equipment, had either no association or the results were inconclusive (Tonge et al., 2016). Another recent review focusing on preschool children's playground characteristics concluded that having sufficient space to play and having optimal playground conditions, including an open field, longer recess duration and less supervision were associated with higher PA levels for preschool children (Broekhuizen, Scholten, & de

Vries, 2014). However, most of these studies have used composite scores to describe the physical environment. These may offer an illustration of the general quality level of the preschool physical environment, but they fail to provide information about which specific environmental factors can be beneficial for increasing PA. Distinct equipment and surfaces can have different associations for children's PA levels. For instance, Gubbels et al. recognized that riding toys and a small play area were associated with lower indoor PA levels (Gubbels, Van Kann, & Jansen, 2012). In addition, portable slides, fixed swinging equipment and sandboxes were associated with lower outdoor PA levels, whereas the availability of portable jumping equipment and the presence of a structured track in the playground were associated with higher outdoor PA levels (Gubbels et al., 2012). This study was, however, conducted among children aged 2–3 years. Children aged 3–6 years have more developed motor skills, and therefore better capabilities for different types of PA, suggesting different associations between specific physical environmental factors and PA in this age group.

It is well known that preschool-aged boys are more active than girls (Bingham et al., 2016; Hesketh et al., 2016). Although gender is not a modifiable characteristic, tailored environmental interventions can be designed when the gender-specific factors associated with PA are recognized. Nevertheless, gender-specific associations between physical environmental factors and children's PA are rarely studied. One study focusing on preschool recess time nevertheless ascertained that hard playground surfaces were associated with higher PA for boys (Cardon, Van Cauwenberghe, Labarque, Haerens, & De Bourdeaudhuij, 2008). Another study (Hinkley, Salmon, Crawford, Okely, & Hesketh, 2016) similarly found a number of gender-specific physical environment characteristics. Of these, the number of spaces with natural ground covering, the number of constructed resources and the number of pieces of portable equipment were significantly associated with boys' PA levels, whereas outdoor PA space and total PA space were associated with girls' PA levels (Hinkley et al.,

2016). Given the gender differences in the amount of PA and in the environmental characteristics related to it, the aim of this study is to explore which preschool physical environmental factors (both specific and composite scores) are associated with preschool children's total PA (from an intensity level of light to vigorous), and whether gender moderates the associations between these factors and preschool children's total PA.

Material and methods

Study context

In Finland, municipalities are responsible for organizing early education and care services (ECE) based on national guidelines (The Finnish National Agency of Education.,). In this study, we use the word 'preschool' to describe municipal-based institutional early education provided outside the home. Each child in Finland has the right to early childhood education. Families pay fees that in full-day provision vary between 0 and 290€ per month (as of 2017), depending on the size and income of the family. Most children attend municipal-based preschools, whereas private preschools are rare in Finland. The Finnish ECE model is based on learning by playing, and compulsory pre-primary education in preparation for official schooling begins at the age of six (The Finnish National Agency of Education.,).

Sample

This study is part of the X-study (details removed from peer review). More about the study and its procedures can be found elsewhere (Author, 2015, details removed from peer review). As part of this overall project, a cross-sectional study was conducted between September 2015 and April 2016. Municipal-based preschools were randomly selected for the study. Municipalities with a larger variety in education and income levels and with a higher Gini coefficient (the measure of income inequality among the population in a municipality) were selected according to national statistics (National Institute of Health and Welfare). In total, eight of the 12 municipalities contacted in Southern and Western Finland participated in

this study. The participating preschools were required to have at least one preschool group with 3-to-6-year-olds. In total, 86 of the 169 preschools contacted (56 %) were willing to participate in this study. 16 preschools (19 percent of preschools willing to participate) were excluded because their official spoken language was neither Finnish nor Swedish or because they were open 24 hours a day. Preschool groups providing pre-primary education exclusively for 6-year-old children were also excluded. In addition, we excluded preschools in which less than 30 percent of the children in one preschool group participated in the study. Of the consenting preschools, 20 failed to reach the required 30 percent participation rate. Therefore, the study was conducted in 66 preschools (39 % of those invited). These preschools had a total of 159 preschool groups (range between one to five groups in one preschool) with children aged 3–6 years.

Of the participating preschools, 3592 parents with children aged 3–6 years were asked to participate. A total of 983 parents agreed to participate in the study (27 % consent rate). Of these, 91 parents had a child in a preschool group that failed to achieve the 30 percent consent rate and were therefore excluded. In addition, 28 consenting families failed to provide any data. Therefore, a total of 864 children and their parents (24 % of those invited) participated in the cross-sectional study. The University of Helsinki Ethical Review Board in the Humanities and Social and Behavioral Sciences approved the study procedures.

Measures

Physical environment

The physical environment was measured using a comprehensive observation instrument that was purposely designed for this study and suitable for the Finnish context. This instrument consisted of a selection of items from the Environment and Policy assessment and Observation Instrument (EPAO) (Ward et al., 2008), items from the National investigation about the PA conditions in Finnish preschools (Ruokonen, Norra, & Karvinen,

2009), and some additional items developed to meet the aims of this study. All the research assistants were trained to use this instrument by the responsible researcher. All the preschools were simultaneously and independently observed by two research assistants. After the observations, the research assistants compared answers and reached a consensus on the findings.

Some general guidelines were set for the observations. Assistants were asked to check all the possible closets and rooms in the indoor facilities. Moreover, they were advised to consult early educators if, for instance, they encountered difficulties in opening the outdoor equipment sheds or in observing some items. If preschools lacked a gym but had a separate PA equipment store inside (not in the group facilities), the assistants listed the equipment in this storage area as PA equipment in the gym. When observing equipment and PA-promoting elements in the playground, all the possible items were checked. The research assistants were instructed not only to mark all the equipment/surfaces listed on the observation sheet, but also to take account of any other possible items relevant to the observed category and mark them in the open space provided after each category. Based on these open-space items, the following additional equipment was included in the analyses: trampolines, big balls and sticks in group facilities, games and play equipment in the gym, and snow pushers in the playground.

The preschool physical environment related to PA opportunities was assessed according to the following categories: PA equipment in group facilities (10 items), fixed equipment indoors (5 items), Gym in the preschool, PA equipment in the gym (15 items), surfaces in the preschool grounds (9 items), terrain in the playground, shady areas in the playground, fixed PA equipment in the preschool yard (9 items), PA-promoting elements in the playground (6 items), and portable equipment in the playground (8 items). The items measured in each category are presented in more detail in Table 1.

For PA equipment in the preschool's group facilities, the form had three answer options: yes, in view; yes, in the closet, and none at all. This was recoded as either present (1) or none at all (0). All other equipment was measured as either available (1) or not available (0). When evaluating the terrain and shadiness of the playground, only one option per yard could be selected. Here, the three possible answers were mostly flat, mostly hilly or combination of both. The shadiness of the play area was evaluated with three answer options: shadows on the play area, shadows at the sides and no shade at all.

From the individual equipment items, we formed five composite scores to illustrate the total amount of equipment indoors and outdoors. The recommendations of the EPAO observation sheet were followed when forming the composite scores (Bower et al., 2008). Firstly, the composite scores were formed for each equipment category (equipment in group facilities, fixed equipment indoors, equipment in the gym, fixed equipment in the preschool yard, and portable equipment in the playground). The items in each category were summed and divided by the number of items and then multiplied by 10 so that the maximum score in each equipment category was 10. Secondly, total scores were formed for indoor and outdoor equipment. All the items in each equipment category were summed and divided by the number of items and then multiplied by 10, so that the maximum score in each equipment category was 10. Next, equipment in the preschool's group facilities, fixed equipment indoors and equipment in the gym were summed to form the adjusted composite score for indoor equipment. Similarly, portable and fixed equipment outdoors were summed to form the adjusted composite score of outdoor equipment.

Children's physical activity

The children wore Actigraph wGT3X-BT accelerometers for seven days, 24-hours a day. The research assistants fit the accelerometers around the children's waist in the preschool, and the parents received written instructions about the use of the accelerometer.

Preschool-hours were separated from home hours based on the parent-completed diary. A 15-second epoch length was chosen when downloading data from the Actigraphs. Non-wear time was set at 10 minutes or more consecutive zeros. Evenson cut points were applied (Evenson, Catellier, Gill, Ondrak, & McMurray, 2008). In line with previous research, a child should have attended preschool for two days during the measurement week to be included in the study and should have worn his or her accelerometer for a minimum of 240 minutes during preschool hours (Byun, Beets, & Pate, 2015; Hinkley et al., 2012; Rich et al., 2013). In this study, we used total PA – that is from light to vigorous intensity – as an indicator of PA. Total PA minutes per hour were calculated to account for the varying lengths of time children spent in preschool.

Covariates

The analyses were adjusted for children's age, gender, and season of measurement. Due to large seasonal variations in weather and its possible influence on children's PA, the season of measurement was used as a covariate. The season of measurement was placed into three groups due to variation in weather conditions (1= September–October, 2=November–December, and 3=January–April). Data regarding 44 percent (n=379) of the included children were collected during the months of September and October, 36 percent (N=310) during November and December, and the remaining 20 percent (N=175) during January and April.

In addition, most of the analyses were adjusted for municipality. Municipality was treated as a dummy variable in the analyses. However, all the participating preschools in certain municipalities had all the observed PA equipment in the gym, which meant that no variation existed in the analyses when adjusting for municipality. Therefore, when analyzing the associations between PA equipment in the gym and children's PA, we did not adjust for municipality.

Statistical methods

SPSS version 23 (SPSS Inc.,Chicago, IL, USA) was used for the descriptive statistics. Linear regression analyses clustered within the preschool group were conducted in Mplus 7.1. (Muthen & Muthen). The maximum likelihood estimation with robust standard errors (MLR) was used as an estimator. For the moderation analyses, an interaction variable was computed between each physical environment item and gender. If there was a significant moderator effect (defined as $p<0.05$), the sample was stratified by gender, and linear regression analyses were performed to examine associations.

Results

In total, 821 children (95% of participants) wore the accelerometer for one week. Of these, 778 (95%) had sufficient valid hours and days in order to be included in the study. The average wear time during preschool was 419 minutes (standard deviation 56 minutes). There were no statistically significant gender, age or socioeconomic status differences between children who had valid data during preschool hours and those who did not. The average age of the participating children was 4 years and 4 months (standard deviation 10 months). On average, the participants spent 33.5 minutes (standard deviation 5.1 minutes) engaged in PA per hour in their preschool. Of this total PA, an average of 27 minutes consisted of light activities, 4.5 minutes of moderate activities and 2 minutes of vigorous activities. Boys had an average of 34.3 minutes (standard deviation 4.9 minutes) total PA per hour, whereas for girls the average total PA per hour was 32.7 minutes (standard deviation 5.3).

Table 1 displays the descriptive statistics for the physical environment items. All the preschools had swings in the yard. One preschool group lacked an open space suitable for playing in the yard. Similarly, all but two of the preschools groups had balls in the gym and a sandbox in the yard. Due to these non-variations in swings, an open space suitable for

playing, balls in the gym and a sandbox in the yard, these items were excluded from the final analyses. Table 2 provides the descriptive statistics for the composite scores of PA equipment.

Associations between physical environment and children's total PA

Table 3 describes the main effects of the associations between the physical environmental factors and the children's PA. Among the preschool group facilities, having balance equipment and having a trampoline were associated with higher PA. Having balance equipment, sticks and gym mats in the preschool gym, having skipping rope in the yard, sand as a surface in the preschool ground, and a predominantly hilly landscape in the preschool yard were all associated with higher PA minutes during preschool hours. By contrast, having gravel as a surface in the preschool grounds and having a seesaw in the yard were associated with lower PA minutes during preschool hours.

Moderating effect of gender in associations between physical environment and children's total PA

Table 3 presents the moderating effect of gender in associations between the physical environment and children's total PA. In preschool, there were four significant interactions between gender and physical environmental factors in relation to children's PA: gender interacted with gym mats in the preschool's group facilities, stall bars indoors, bean bags in the gym, and slides in the preschool yard. These are presented graphically in Figure 1. When stratified by gender, none of these associations were significant.

Discussion

This study aimed to explore the associations between children's total PA and various factors in the preschool physical environment. In addition, the study explored whether a child's gender moderates these associations. A range of physical environmental factors were associated with children's PA during preschool hours. Having balance equipment and a

trampoline in the group facilities, having balance equipment and gym mats in the gym, and having skipping ropes outdoors were associated with higher PA, regardless of the child's gender. In addition, sand as a surface in the preschool grounds and a predominantly hilly terrain in the preschool yard were also associated with higher PA. Conversely, seesaws and having gravel as an outdoor surface were associated with lower levels of PA. A significant interaction with gender was found for the following items: gym mats in group facilities, stall bars indoors, bean bags in the gym, and slides outdoors. However, perhaps due to insufficient power, none of the variables in the gender-stratified analyses were significantly associated with children's PA.

Our study suggests that it is beneficial to have many different types of equipment both indoors and outdoors in preschools. Nonetheless, equipment related to jumping or balancing skills seems to be particularly associated with higher PA. This finding is in line with Gubbels, who found that portable jumping equipment was positively associated with children's PA in preschools (Gubbels et al., 2012). Although it was not a research purpose itself, an interesting finding was that only about five percent of preschool groups had trampolines in group facilities. Having a trampoline in a preschool group was associated with higher PA levels. A trampoline may be an indicator of the level of PA equipment in preschools, especially in their group facilities. It may also mean that these preschool's group facilities are more spacious, thereby allowing trampolines to be safely used inside. Early educators have often mentioned the lack of space indoors as a hindrance for increasing indoor PA (Fees, Trost, Bopp, & Dzewaltowski, 2009; van Zandvoort, Tucker, Irwin, & Burke, 2010). Similarly, many preschools have safety regulations and rules that limit vigorous activities such as jumping and running (Copeland, Sherman, Kendeigh, Kalkwarf, & Saelens, 2012). It was outside the scope of this study to investigate the associations between the social environment in preschool and children's PA. However, future research should study in greater depth the potential interaction

between the physical environment (e.g. indoor space, equipment) and the social environment (e.g. rules and regulations related to safety issues) and its consequent influence on children's PA levels.

We identified only one piece of equipment, the seesaw, that was associated with lower PA levels. This finding could be explained by the fact that children usually sit when playing on a seesaw. Gubbels similarly found that sandboxes were associated with lower PA levels (Gubbels et al., 2012). However, we were unable to assess the association between sandboxes and children's PA because all the preschools in our study had a sandbox. Furthermore, it should be noted that children's PA was measured by a device worn around the waist, and consequently upper-body movements might have been poorly detected (Hills, Mokhtar, & Byrne, 2014). Therefore, for example, the associations we found between children's PA and equipment related to throwing and catching and may be invalid. Nonetheless, this type of equipment is clearly beneficial for developing fine motor skills, which in turn are beneficial for PA skills (Gallahue, Ozmun, & Goodway, 2011). In a preschool environment, a wide variety of equipment may therefore be beneficial for children's motor skills and PA levels.

The results of our study indicated that none of the composite scores for PA equipment was associated with children's PA. When using composite scores for portable and fixed equipment, other studies have produced mixed findings for the associations between equipment and children's PA (Tonge et al., 2016). One reason for such findings may be that these composite scores are constructed from pieces of equipment that are associated with either higher or lower PA. Using composite equipment scores may therefore hide the significant associations between children's PA and individual pieces of equipment. Overall, our findings support the measurement of associations between children's PA and distinct, individual pieces of equipment, which can provide more accurate knowledge for use in future

PA-promotion projects. This information may also be valuable when deciding on the availability of equipment in preschools.

Our study found that predominantly hilly terrain in the preschool grounds was associated with higher PA. This finding replicates that of a Danish study, which also found that higher PA was associated with a hilly landscape in the preschool yard (Olesen et al., 2013). Many other studies have demonstrated the association between higher PA and having an open area suitable for active play. However, we were unable to include open outdoor space in our final analysis, due to the non-variation in our study sample. Nonetheless, predominantly hilly terrain in the preschool yard may provide similar possibilities for children to be active as open areas. Spacious, hilly environments may inspire children to run, jump and freely engage in 'risky play' (Sandseter & Kennair, 2011), thereby resulting in greater movement. In contrast to other studies (Cardon et al., 2008; Nicaise, Kahan, & Sallis, 2011; Sugiyama, Okely, Masters, & Moore, 2012), hard surfaces in the playground were not associated with children's PA in our study. Instead, sand was associated with higher PA, whereas gravel was associated with lower PA. Another study has suggested that the association between sand and higher PA is due to children's preference for playgrounds with a softer surface (Nasar & Holloman, 2013). This, in turn, may be because playing in softer materials is easier and because children have less fear of injury. By contrast, gravel may be hard and uncomfortable to play with. When planning future locations for preschools, it is important to ensure that preschool yards provide a variety of natural terrains with height differences and soft surfaces.

Although there were no significant associations between these variables and children's PA once the sample was stratified by gender, the results suggest that fixed equipment such as slides and stall bars are associated with higher levels of PA in girls. This finding is especially important given that some studies have reported that girls are less active than boys (Bingham

et al., 2016; Hesketh et al., 2016). Although our sample size was larger than that of many other studies among preschool children (Tonge et al., 2016), further research with even larger sample sizes is needed for a more in-depth investigation of the interaction between gender and PA.

The participation rate of the children in our study was low, and thus it is impossible to know whether the most active children participated. Nevertheless, the participation rate of preschools was quite high, and we were able to observe many kinds of preschool settings in a variety of physical environments and regions of the country. This allowed us to study the availability of equipment and the natural environment in several places and ensured the heterogeneity of the preschools studied, despite the lower child participation rate. It should, however, be noted that many preschools had a wide range of available PA equipment, thereby limiting the variation in equipment levels in our sample and preventing us from testing some potential associations.

A strength of this study was its use of objective measurements and direct observations instead of less valid measures, such as self-report. Furthermore, all observations were performed by two independent observers. Nevertheless, inter-observer reliability was not measured, and although it was based on validated observation instruments, our observation form itself was not validated. Furthermore, several accelerometer cut-points exist for measuring preschool children's PA, and using other cut-points might have produced different results. In addition, outdoor times and indoor times were not separated in our accelerometer data. We also acknowledge that other factors, such as social interaction between early educators, and policy regulations, can affect children's PA. Future research could therefore study the interaction between the physical, social and policy environments of preschool and their associations with children's PA.

Conclusions

Our study produced new knowledge on the associations between children's PA and various physical environmental factors in a preschool setting. Having equipment related to jumping or balancing skills, having predominantly hilly terrain in the preschool grounds and having sand as a surface were associated with higher PA. By contrast, seesaws and having gravel as an outdoor surface were associated with lower PA levels. Many factors in the preschool physical environment have the potential to increase children's PA levels, regardless of children's gender. These results are important for preschool organizations and for municipal technical and planning services when designing the ideal physical environment for promoting children's PA. A variety of equipment in different contexts (e.g. group facilities, outdoors) and a diversity of natural surfaces in the preschool grounds may be essential.

References

Author 2015 [details removed for peer review]

Barnett, L. M., Salmon, J., & Hesketh, K. D. (2016). More active pre-school children have better motor competence at school starting age: An observational cohort study. *BMC Public Health, 16*(1), 1068. doi:10.1186/s12889-016-3742-1 [doi]

Beets, M. W., Bornstein, D., Dowda, M., & Pate, R. R. (2011). Compliance with national guidelines for physical activity in U.S. preschoolers: Measurement and interpretation. *Pediatrics, 127*(4), 658-664. doi:10.1542/peds.2010-2021 [doi]

Bingham, D. D., Costa, S., Hinkley, T., Shire, K. A., Clemes, S. A., & Barber, S. E. (2016). Physical activity during the early years: A systematic review of correlates and determinants. *American Journal of Preventive Medicine, 51*(3), 384-402. doi:http://dx.doi.org/10.1016/j.amepre.2016.04.022

Bower, J. K., Hales, D. P., Tate, D. F., Rubin, D. A., Benjamin, S. E., & Ward, D. S. (2008). The childcare environment and children's physical activity. *American Journal of Preventive Medicine, 34*(1), 23-29. doi:S0749-3797(07)00616-2 [pii]

Broekhuizen, K., Scholten, A. -., & de Vries, S. I. (2014). The value of (pre)school playgrounds for children's physical activity level: A systematic review. *The International Journal of Behavioral Nutrition and Physical Activity, 11*(59) doi:http://doi.org/10.1186/1479-5868-11-59

Byun, W., Beets, M. W., & Pate, R. R. (2015). Sedentary behavior in preschoolers: How many days of accelerometer monitoring is needed? *International Journal of*

Environmental Research and Public Health, 12(10), 13148-13161. doi:10.3390/ijerph121013148 [doi]

Cardon, G., Van Cauwenberghe, E., Labarque, V., Haerens, L., & De Bourdeaudhuij, I. (2008). The contribution of preschool playground factors in explaining children's physical activity during recess. *The International Journal of Behavioral Nutrition and Physical Activity, 5*, 11-5868-5-11. doi:10.1186/1479-5868-5-11 [doi]

Copeland, K. A., Sherman, S. N., Kendeigh, C. A., Kalkwarf, H. J., & Saelens, B. E. (2012). Societal values and policies may curtail preschool children's physical activity in child care centers. *Pediatrics, 129*(2), 265-274. doi:10.1542/peds.2011-2102 [doi]

De Craemer, M., Lateva, M., Iotova, V., De Decker, E., Verloigne, M., De Bourdeaudhuij, I., . . . ToyBox-study group. (2015). Differences in energy balance-related behaviours in european preschool children: The ToyBox-study. *PloS One, 10*(3), e0118303. doi:10.1371/journal.pone.0118303 [doi]

Evenson, K. R., Catellier, D. J., Gill, K., Ondrak, K. S., & McMurray, R. G. (2008). Calibration of two objective measures of physical activity for children. *Journal of Sports Sciences, 26*(14), 1557-1565. doi:10.1080/02640410802334196; 10.1080/02640410802334196

Fees, B., Trost, S., Bopp, M., & Dzewaltowski, D. A. (2009). Physical activity programming in family child care homes: Providers' perceptions of practices and barriers. *Journal of Nutrition Education and Behavior, 41*(4), 268-273. doi:10.1016/j.jneb.2008.01.013 [doi]

Finnish National Agency for Education. (2016). *National core curriculum for early childhood education and care.* (). Helsinki: Finnish National Agency for Education.

Gallahue, D. L., Ozmun, J. C., & Goodway, J. D. (2011). *Understanding motor development: Infants, children, adolescents, adults. 7th edition.* Boston,United States: McGraw-Hill.

Gubbels, J. S., Van Kann, D. H., & Jansen, M. W. (2012). Play equipment, physical activity opportunities, and children's activity levels at childcare. *Journal of Environmental and Public Health, 2012,* 326520. doi:10.1155/2012/326520 [doi]

Hesketh, K. R., O'Malley, C., Mazarello Paes, V. M.,H., Summerbell, C., Ong, K. K., Lakshman, R., & van Sluijs, E. M. F. (2016). Determinants of change in physical activity in children 0–6 years of age: A systematic review of quantitative literature. *Sports Medicine, ,* 1-26. doi:DOI 10.1007/s40279-016-0656-0

Hills, A. P., Mokhtar, N., & Byrne, N. M. (2014). Assessment of physical activity and energy expenditure: An overview of objective measures. *Frontiers in Nutrition, 1,* 5. doi:10.3389/fnut.2014.00005 [doi]

Hinkley, T., O'Connell, E., Okely, A. D., Crawford, D., Hesketh, K., & Salmon, J. (2012). Assessing volume of accelerometry data for reliability in preschool children. *Medicine and Science in Sports and Exercise, 44*(12), 2436-2441. doi:10.1249/MSS.0b013e3182661478 [doi]

Hinkley, T., Salmon, J., Crawford, D., Okely, A. D., & Hesketh, K. D. (2016). Preschool and childcare center characteristics associated with children's physical activity during care hours: An observational study. *The International Journal of Behavioral Nutrition and Physical Activity, 13*(1), 117. doi:10.1186/s12966-016-0444-0 [doi]

Iivonen, S., Sääkslahti, A., Mehtälä, A., Villberg, J., Soini, A., & Poskiparta, M. (2016). Directly observed physical activity and fundamental motor skills in four-year-old

children

in day care. *European Early Childhood Education Research Journal, 24*(3), 398-413. doi:10.1080/1350293X.2016.1164398

Logan, S. W., Kipling Webster, E., Getchell, N., Pfeiffer, K. A., & Robinson, L. E. (2015). Relationship between fundamental motor skill competence and physical activity during childhood and adolescence: A systematic review. *Kinesiology Review, 4*(4), 416-426. doi:10.1123/kr.2013-0012

Loprinzi, P. D., Cardinal, B. J., Loprinzi, K. L., & Lee, H. (2012). Benefits and environmental determinants of physical activity in children and adolescents. *Obesity Facts, 5*(4), 597-610. doi:10.1159/000342684 [doi]

Loprinzi, P. D., Davis, R. E., & Fu, Y. C. (2015). Early motor skill competence as a mediator of child and adult physical activity. *Preventive Medicine Reports, 2*, 833-838. doi:10.1016/j.pmedr.2015.09.015 [doi]

Nasar, J. L., & Holloman, C. H. (2013). Playground characteristics to encourage children to visit and play. *Journal of Physical Activity & Health, 10*(8), 1201-1208. doi:2011-0421 [pii]

National Institute for Health and Welfare. (2016). Lasten päivähoito [children's early childhood education and care 2015]. *Statistical Report 21/2019, 29.12.2016.*,

National Institute of Health and Welfare. Welfare compass for monitoring regional welfare. Retrieved from http://www.hyvinvointikompassi.fi/en/web/hyvinvointikompassi/etusivu

Nicaise, V., Kahan, D., & Sallis, J. F. (2011). Correlates of moderate-to-vigorous physical activity among preschoolers during unstructured outdoor play periods. *Preventive Medicine, 53*(4-5), 309-315. doi:10.1016/j.ypmed.2011.08.018 [doi]

OECD, orgnization for Economic Cooperation and Development. (2016). *Family database, PF3.2. enrolment in childcare and pre-schools.* ().OECD-Social Policy Division-Directorate of Employment, Labour, and Social affairs. Retrieved from http://www.oecd.org/els/family/database.htm

Okely, A. D., Trost, S. G., Steele, J. R., Cliff, D. P., & Mickle, K. (2009). Adherence to physical activity and electronic media guidelines in australian pre-school children. *Journal of Paediatrics and Child Health, 45*(1-2), 5-8. doi:10.1111/j.1440-1754.2008.01445.x [doi]

Olesen, L. G., Kristensen, P. L., Korsholm, L., & Froberg, K. (2013). Physical activity in children attending preschools. *Pediatrics, 132*(5), e1310-8. doi:10.1542/peds.2012-3961 [doi]

Pate, R. R., McIver, K., Dowda, M., Brown, W. H., & Addy, C. (2008). Directly observed physical activity levels in preschool children. *The Journal of School Health, 78*(8), 438-444. doi:10.1111/j.1746-1561.2008.00327.x [doi]

Pate, R. R., O'Neill, J. R., Brown, W. H., Pfeiffer, K. A., Dowda, M., & Addy, C. L. (2015). Prevalence of compliance with a new physical activity guideline for preschool-age children. *Childhood Obesity (Print), 11*(4), 415-420. doi:10.1089/chi.2014.0143 [doi]

Pate, R. R., Pfeiffer, K. A., Trost, S. G., Ziegler, P., & Dowda, M. (2004). Physical activity among children attending preschools. *Pediatrics, 114*(5), 1258-1263. doi:114/5/1258 [pii]

Reilly, J. J. (2010). Low levels of objectively measured physical activity in preschoolers in child care. *Medicine and Science in Sports and Exercise, 42*(3), 502-507. doi:10.1249/MSS.0b013e3181cea100 [doi]

Rich, C., Geraci, M., Griffiths, L., Sera, F., Dezateux, C., & Cortina-Borja, M. (2013). Quality control methods in accelerometer data processing: Defining minimum wear time. *PloS One, 8*(6), e67206. doi:10.1371/journal.pone.0067206 [doi]

Ruokonen, R., Norra, J., & Karvinen, H. (2009). *Valtakunnallinen selvitys päiväkotien liikuntaolosuhteista.* (). Helsinki: Young Finland ry/Finnish Olympic Committee. Retrieved from http://www.sport.fi/kirjasto/teos/paivakotien-liikuntaolosuhteet?p=kihu&t=tutkimukset

Sandseter, E. B., & Kennair, L. E. (2011). Children's risky play from an evolutionary perspective: The anti-phobic effects of thrilling experiences. *Evolutionary Psychology : An International Journal of Evolutionary Approaches to Psychology and Behavior, 9*(2), 257-284. doi:epjournal-1440 [pii]

Stodden, D. F., Goodway, J. D., Langendorfer, S. J., Roberton, M. A., Rudisill, M. E., Garcia, C., & Garcia, L. E. (2008). A developmental perspective on the role of motor skill competence in physical activity: An emergent relationship. *Quest, 60*(2), 290-306. doi:10.1080/00336297.2008.10483582

Sugiyama, T., Okely, A. D., Masters, J. M., & Moore, G. T. (2012). Attributes of child care centers and outdoor play areas associated with preschoolers' physical activity and sedentary behavior. *Environment and Behavior, 44*(3), 334-349. doi:10.1177/0013916510393276

Tammelin, T. H., Aira, A., Hakamaki, M., Husu, P., Kallio, J., Kokko, S., . . . Kamppi, K. (2016). Results from finland's 2016 report card on physical activity for children and youth. *Journal of Physical Activity & Health, 13*(11 Suppl 2), S157-S164. doi:10.1123/jpah.2016-0297 [doi]

The Finnish National Agency of Education.Early childhood education and care. Retrieved from http://www.oph.fi/english/education_system/early_childhood_education

Timmons, B. W., Leblanc, A. G., Carson, V., Connor Gorber, S., Dillman, C., Janssen, I., . . . Tremblay, M. S. (2012). Systematic review of physical activity and health in the early years (aged 0-4 years). *Applied Physiology, Nutrition, and Metabolism = Physiologie Appliquee, Nutrition Et Metabolisme, 37*(4), 773-792. doi:10.1139/h2012-070 [doi]

Tonge, K. L., Jones, R. A., & Okely, A. D. (2016). Correlates of children's objectively measured physical activity and sedentary behavior in early childhood education and care services: A systematic review. *Preventive Medicine, 89*, 129-139. doi:10.1016/j.ypmed.2016.05.019 [doi]

Tucker, P. (2008). *The physical activity levels of preschool-aged children: A systematic review* doi:http://dx.doi.org/10.1016/j.ecresq.2008.08.005

van Zandvoort, M., Tucker, P., Irwin, J. D., & Burke, S. M. (2010). Physical activity at daycare: Issues, challenges and perspectives. *Early Years, 30*(2), 175-188. doi:10.1080/09575141003667282

Ward, D., Hales, D., Haverly, K., Marks, J., Benjamin, S., Ball, S., & Trost, S. (2008). An instrument to assess the obesogenic environment of child care centers. *American Journal of Health Behavior, 32*(4), 380-386. doi:10.5555/ajhb.2008.32.4.380

Wick, K., Leeger-Aschmann, C. S., Monn, N. D., Radtke, T., Ott, L. V., Rebholz, C. E., . . . Kriemler, S. (2017). Interventions to promote fundamental movement skills in childcare and kindergarten: A systematic review and meta-analysis. *Sports Medicine (Auckland, N.Z.),* doi:10.1007/s40279-017-0723-1 [doi]

Table 1. Descriptive statistics of preschool physical environment items used in the X (details remoeved from the peer review) study

Physical environment context	Physical environment item	% of yes	no. of yes answers on a preschool group level	Total no. of observed preschool groups	% of yes	No. of yes answers on a child level	Total no. of observed children
PA equipment in the preschool's group facilities							
	Balls	48.6	69	142	51.1	425	831
	Gym mats	31.4	44	140	34.5	281	815
	Spinning equipment	26.2	37	141	29.1	236	812
	Bean bags	20.4	29	142	24.3	201	826
	Parachute	9.9	14	141	13.0	106	817
	Balance equipment	15.0	21	140	17.8	144	808
	Crawling tunnel	16.4	23	140	19.4	157	808
	Trampoline	5.2	7	135	6.1	48	786
	Big balls	6.7	9	135	7.8	61	786
	sticks	7.4	10	135	9.4	74	786
Fixed equipment indoors							
	Soft area for playing	58.2	85	146	56.2	455	810
	Stall bars	84.9	135	159	83.9	725	864
	Climbing wall or other climbing place	60.1	92	153	56.0	465	831
	Floor marks	70.9	107	151	72.1	601	834
	Pool/Water play equipment	40.3	58	144	42.2	332	787
Gym in the preschool		72.3	115	159	69.1	597	864
PA equipment in the gym							
	Balls	98.4	123	125	98.9	648	655
	Skipping ropes	91.8	112	122	91.4	586	641
	Balance equipment	92.6	113	122	91.5	581	635
	Riding toys	37.5	45	120	35.7	226	633
	Sticks	91.9	114	124	90.9	591	650
	Gym mats	89.6	112	125	89.3	585	655
	Parachute	87.2	109	125	88.2	578	655
	Bean bags	86.8	105	121	85.3	539	632
	Exercise balls	52.5	64	122	49.5	317	641
	Trampoline	81.7	107	131	81.0	559	690
	Crawling tunnel	77.0	94	122	73.5	471	641
	Hoops	80.0	100	125	75.2	493	656
	Movable floor markers	66.4	81	122	60.3	385	639
	Hopper balls	59.0	72	122	58.1	375	645
	Game equipment	73.8	90	122	73.0	467	640
Surfaces in the preschool grounds							

	Asphalt	49.4	78	158	49.8	425	853
	Grass	79.1	125	158	79.1	675	853
	Gravel	82.3	130	158	80.4	686	853
	Sand	88.0	139	158	89.3	762	853
	Safety surfacing	24.7	39	158	24.2	206	853
	Rocks	34.8	55	158	35.8	305	853
	Forest	6.3	10	158	4.7	40	853
	Trees	72.8	115	158	75.5	644	853
	Tiling	56.3	89	158	57.0	474	853
Terrain on the playground							
	Mostly flat	62.7	99	158	63.0	537	853
	Mostly hilly	2.5	4	158	2.6	22	853
	Combination of both	36.7	58	158	36.1	308	853
Shady areas on the playground							
	At the sides	74.7	118	158	76.2	650	853
	In the play areas	58.2	92	158	59.8	510	853
	No shade	7.6	12	158	8.3	71	853
PA-promoting elements in the playground							
	Soccer field	19.9	31	156	21.3	182	853
	Open area suitable for playing	99.4	157	158	99.3	856	862
	Ball wall	46.8	73	156	44.9	383	853
	Basketball hoop	32.7	51	156	31.5	269	853
	Track area for riding toys	77.7	122	157	77.3	656	849
	Outdoor play paintings on the ground	12.1	18	149	10.8	89	826
Fixed PA equipment in the preschool yard							
	Sandbox	98.7	157	159	99.0	855	864
	Playhouse	37.2	58	156	39.2	332	848
	Swings	100	159	159	100.0	864	864
	Spring swings	74.5	117	157	73.2	623	851
	Seesaw	45.3	72	159	46.5	402	864
	Climbing frames	93.1	148	159	93.2	805	864
	Slides	92.4	145	157	93.2	793	851
	Balancing equipment	66.2	102	154	65.4	551	842
	Merry-go-rounds	17.2	26	150	14.5	117	809
Portable PA equipment in the playground							
	Balls	96.2	153	159	96.5	834	864
	Skipping ropes	71.5	113	158	71.9	612	851
	Balance equipment	82.4	131	159	81.6	705	864
	Riding toys	97.5	155	159	98.4	850	864
	Sticks	80.3	126	157	79.6	676	849
	Goals	66.5	103	155	63.6	536	843

Sleds	94.7	144	152	95.2	778	817
Snow pushers	69.0	107	155	65.8	548	833

Table 2. Descriptive statistics of composite scores for equipment in different contexts in the preschool setting in the X (details removed from the peer review) study

Composite score for equipment in certain context	Mean	Standard deviation	Observed score range	Potential score range
PA equipment in the group facilities	2.06	2.51	0–10	0–10
Fixed equipment indoors	2.98	1.34	0–5	0–5
PA equipment in the gym	11.54	2.35	3–15	0–15
Adjusted total amount of equipment indoors [a]	12.99	5.14	0–22.67	0–30
Fixed PA equipment in the preschool yard	6.18	1.3	2–9	0–9
Portable PA equipment in the playground	6.41	1.28	0–8	0–8
Adjusted total amount of equipment outdoors [b]	14.88	2.34	4.44–18.89	0–20

[a] All the items of PA equipment in the group facilities, fixed equipment indoors or PA equipment in the gym were summed, divided by the number of items, and multiplied by 10 so that maximum score for each item category is 10.

[b] All the items of fixed PA equipment in the preschool yard and portable PA equipment in the playground were summed and divided by the number of items, and multiplied by 10 so that maximum score for each item category is 10.

Table 3 Associations between factors in the preschool physical environment and children's total physical activity (PA, min/hour) in preschool, and the moderator effects of gender in the X (details removed from the peer review) study

	Total PA min/hour					
	Main effects [a]			Moderator effects [b]		
	β	Lower 95% CI	Upper 95% CI	β	Lower 95% CI	Upper 95% CI
PA equipment in the group facilities						
Balls (N=750)	0.35	-0.95	1.64	0.84	-0.49	2.17
Gym mats (N=735)	0.75	-0.55	2.04	**1.50**	**0.19**	**2.81**
Spinning equipment (N=732)	0.14	-0.86	1.14	0.24	-1.27	1.75
Bean bags (N=745)	0.15	-1.56	1.85	0.68	-0.78	2.14
Parachute (N=737)	1.16	-1.12	3.43	-1.39	-3.78	1.00
Balance equipment (N=730)	**1.89**	**0.12**	**3.65**	-0.15	-1.74	1.44
Crawling tunnel (N=730)	1.46	-0.32	3.23	0.64	-1.04	2.33
Trampoline (N=710)	**2.30**	**0.61**	**3.98**	-2.05	-4.50	0.39
Big balls (N=710)	0.80	-0.67	2.28	1.14	-1.64	3.92
Sticks (N=710)	-0.04	-1.80	1.72	1.54	-0.64	3.73
Total amount of PA equipment in the group facilities (N=778)	0.18	-0.09	0.46	0.11	-0.16	0.38
Fixed equipment indoors						
Soft area for playing (N=728)	0.73	-0.75	2.21	-0.27	-1.68	1.34
Stall bars (N=778)	-0.10	-1.51	1.31	**-2.21**	**-3.71**	**-0.71**
Climbing wall or other climbing place (N=746)	-1.00	-2.09	0.09	0.64	-0.74	2.01
Floor marks (N=751)	0.55	-1.22	2.32	0.94	-0.59	2.48
Pool/Water play equipment (N=706)	0.29	-1.12	1.69	-0.18	-1.52	1.16
Total amount of fixed equipment indoors (N=778)	0.07	-0.21	0.34	0.02	-0.20	0.24
Total amount of equipment in group facilities and fixed equipment indoors (N=778)	0.15	-0.08	0.38	0.07	-0.16	0.30
Gym in the preschool (N=778)	0.81	-1.17	2.79	0.08	-1.28	2.81
PA equipment in the gym [c]						
Skipping ropes (N=571)	1.97	-0.01	3.96	0.77	-1.93	3.48
Balance equipment (N=568)	**3.47**	**0.64**	**6.30**	1.03	-1.45	3.51
Riding toys (N=565)	-0.85	-2.15	0.44	1.29	-0.15	2.74
Sticks (N=579)	**2.16**	**0.38**	**3.94**	1.23	-1.31	3.77
Gym mats (N=584)	**2.08**	**0.57**	**3.59**	1.94	-0.35	4.22
Parachute (N=584)	-0.59	-1.72	0.54	-0.55	-2.63	1.54
Bean bags (N=562)	0.81	-1.88	3.51	**2.58**	**0.23**	**4.94**
Exercise balls (N=570)	0.98	-0.47	2.43	0.10	-1.34	1.55
Trampoline (N=584)	0.54	-1.35	2.42	0.23	-1.54	1.99
Crawling tunnel (N=573)	1.61	-0.08	3.31	0.73	-1.24	2.70
Hoops (N=584)	-1.08	-2.85	0.69	1.19	-0.47	2.85
Movable floor markers (N=568)	-0.97	-2.06	0.11	-0.11	-1.61	1.39

Hopper balls (N=574)	0.65	-0.74	2.04	1.17	-0.39	2.72
Game equipment (N=571)	0.47	-1.48	2.43	1.52	-0.37	3.41
Total amount of PA equipment in the gym (N=503)	0.37	-0.18	0.91	0.44	-0.08	0.95
Total amount of equipment in group facilities, fixed equipment indoors and equipment in the gym (N=778)	0.11	-0.04	0.26	0.01	-0.11	0.11
Surfaces in the preschool ground						
Asphalt (N=770)	0.86	-0.39	2.12	0.11	-1.16	1.38
Grass (N=770)	0.31	-0.84	1.46	-1.25	-2.82	0.32
Gravel (N=770)	**-1.87**	**-3.38**	**-0.36**	0.90	-0.54	2.34
Sand (N=770)	**1.66**	**0.23**	**3.09**	-1.33	-3.34	0.69
Safety surfacing (N=770)	0.87	-0.19	1.89	0.11	-1.48	1.71
Rocks (N=770)	0.01	-1.21	1.24	-0.33	-1.76	1.10
Forest (N=770)	-0.59	-1.87	0.69	0.66	-1.36	2.68
Trees (N=770)	-0.34	-2.13	1.45	0.59	-0.84	2.02
Tiling (N=751)	0.80	-0.47	2.08	0.89	-0.36	2.13
Terrain on the playground						
Mostly flat (N=770)	-0.69	-1.81	0.42	0.71	-0.61	2.02
Mostly hilly (N=770)	**2.07**	**0.91**	**3.23**	-0.17	-1.51	1.17
Combination of both (N=770)	0.36	-0.83	1.56	-0.38	-1.69	0.94
Shady areas on the playground						
At the sides (N=770)	0.04	-1.43	1.51	0.63	-0.97	2.23
in play areas (N=770)	-0.93	-2.26	0.40	-0.22	-1.51	1.07
No shade (N=770)	-0.19	-2.12	1.73	0.75	-1.22	2.71
PA promoting elements in the playground						
Soccer field (N=768)	0.04	-1.23	1.31	0.11	-1.48	1.70
Ball wall (N=768)	-0.63	-1.75	0.49	0.58	-0.76	1.92
Basketball hoop (N=763)	-0.53	-1.95	0.89	0.83	-0.52	2.18
Track area for riding toys (N=743)	-0.42	-1.54	0.70	0.68	-0.72	2.08
Outdoor play paintings on the ground (N=778)	0.15	-1.41	1.70	-0.62	-2.38	1.14
Fixed PA equipment in the preschool yard						
Playhouse (N=763)	-0.88	-2.22	0.46	-0.24	-1.59	1.11
Spring swings (N=765)	0.56	-0.98	2.11	1.02	-0.57	2.61
Seesaw (N=778)	**-1.63**	**-2.63**	**-0.63**	-0.58	-1.91	0.74
Climbing frames (N=778)	0.23	-1.86	2.32	0.36	-2.30	3.01
Slides (N=765)	0.71	-0.77	2.19	**-2.46**	**-4.29**	**-0.62**
Balancing equipment (N=756)	-0.83	-2.10	0.43	-0.53	-1.91	0.85
Merry-go-rounds (N=730)	-0.82	-2.16	0.53	-0.48	-1.99	1.03
Total amount of fixed equipment in the preschool yard (N=778)	-0.35	-0.71	0.01	-0.14	-0.56	0.31
Portable PA equipment in the playground						
Balls (N=765)	0.88	-3.56	5.33	-0.04	-4.89	4.81
Skipping ropes (N=778)	**1.59**	**0.24**	**2.94**	0.82	-0.60	2.24
Balance equipment (N=778)	1.60	-0.13	3.33	0.68	-1.20	2.55
Riding toys (N=766)	-0.91	-4.01	2.19	-0.60	-7.46	6.23
Sticks (N=761)	1.18	-0.47	2.84	-0.53	-2.62	1.55
Goals (N=766)	-0.38	-1.73	0.97	0.27	-1.23	1.77
Sleds (N=737)	-0.41	-2.38	1.53	-0.25	-3.73	3.24

Snow pushers (N=749)	-1.19	-2.43	0.06	-1.17	-2.50	0.17
Total amount of portable equipment in the playground (N=778)	0.17	-0.22	0.56	0.03	-0.44	0.50
Total amount of fixed and portable equipment in the preschool yard (N=778)	-0.07	-0.31	0.17	-0.01	-0.30	0.28

[A] Associations between each independent variable and the dependent variable adjusted for child's age and gender, municipality, and season of measurement and clustered with preschool group.

[B] moderator effects: interactions between independent variable and child's gender (boy=1. girl=0) adjusted for child's age and gender, municipality, season of measurement and clustered with preschool group.

[c] Associations between each independent variable and the dependent variable adjusted for child's age and gender, season of measurement and clustered with preschool group and moderator effects: interactions between independent variable and child's gender (boy=1. girl=0) adjusted for child's age and gender, season of measurement and clustered with preschool group.

Figure 1. Associations between gym mats in the preschool's group facilities, stall bars, bean bags in the gym and slides and children's physical activity (PA, min/h) among girls and boys




Children's total PA in preschool (min/h)
36
35
34
33
32
31
30
29
girl
boy
no
yes
Bean bags in the gym


Children's total PA in preschool (min/h)
36
35
34
33
32
31
30
29
girl
boy
no
yes
Slides in preschool yard